



HP LaserJet Enterprise 700 color MFP M775 series

Designed for workteams that need an affordable, reliable MFP with print, copy, scan, and fax¹ capabilities that prints brilliant colour documents up to A3, and offers robust paper handling and security features.



HP LaserJet Enterprise 700 color MFP M775dn



HP LaserJet Enterprise 700 color MFP M775f



HP LaserJet Enterprise 700 color MFP M775z



HP LaserJet Enterprise 700 color MFP M775z+

Expand possibilities with broad capabilities and brilliant colour with this affordable A3 MFP.

- Increase colour printing capabilities with media sizes up to A3 for impressive marketing materials and more.
- Impress with bold text and smooth colour, and get the colour output you intended with Pantone® matching.
- Go from start to finish, right at the MFP – print, copy, scan, and fax¹ from the large touchscreen.
- Print from your smartphone or tablet from virtually anywhere with HP ePrint³.

Boost productivity and easily manage printing.

- Boost productivity – get up to 4,350-sheet paper capacity for large printing jobs from this workhorse MFP².
- Automate high-volume print jobs to save time, using the 100-page automatic document feeder.
- Easily manage your business's colour printing with HP colour access controls⁴.
- Save and print files directly at the MFP via an easy-access USB port.

Streamline your workflow with robust scanning.

- Improve workflow using touchscreen controls to preview, edit, and digitally send documents at the device⁵.
- Streamline tasks: print, copy, fax¹ and scan projects directly at the MFP's large colour touchscreen.
- Incorporate paper documents into digital workflows – easily send scans to fax¹, email, or network folders.
- Efficiently capture the right content: remove blank pages in scanned documents to avoid wasted paper.

ecoHIGHLIGHTS

- Reduce energy use with Instant-on Technology¹.
- Reduce paper use by up to 50%, using automatic two-sided printing.
- Reduce waste – scan, store and distribute documents digitally.

ENERGY STAR® qualified

¹ Compared with products that use traditional fusing.

Please recycle your computing hardware and printing supplies. HP asset management and recycling services make responsible disposal easy.

www.hp.com/ecosolutions



¹ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise 700 color MFP M775dn.

² Maximum paper capacity of 4,350 sheets is available only on the M775dn with the addition of the optional 3,500-sheet feeder and stand and optional 500-sheet tray.

³ Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.

⁴ Colour access control capabilities vary from device to device.

⁵ Additional digital sending capabilities are available via HP Digital Sending Software which must be purchased separately.

Product walkaround

HP LaserJet Enterprise 700 color MFP M775z+:

1. 100-sheet automatic document feeder
2. Intuitive 20.3 cm (8-inch) pivoting light touch SVGA colour control panel with FutureSmart firmware and scan preview
3. Hardware integration pocket for solution integration
4. Easy-access USB port to save and print files directly
5. In-line stapler/stacker for stapling up to 30-pages and a 500-sheet output tray
6. Standard 250-sheet stacker output bin
7. Front door allows convenient access to one black and three color, all in one HP print cartridges
8. Built-in automatic two-sided printing
9. 250-sheet input tray 2
10. 3,500-sheet high-capacity feeder with cabinet for a 3,850-sheet total input capacity
11. 100-sheet multipurpose tray 1 handles up to 100 pages
12. Fax port
13. 800 MHz processor, 1.5 GB standard memory
14. HP High Performance Secure Hard Disk
15. Hi-Speed USB 2.0 printing port
16. HP Jetdirect Gigabit Ethernet print server



Series at a glance



HP LaserJet Enterprise 700 color MFP M775dn

- print, copy, scan, digital send
- print/copy speed of up to 30 ppm colour
- up to 600 x 600 dpi (HP ImageREt 3600)
- 1536 MB RAM
- 800 MHz processor
- 1 HP High Performance Secure Hard Disk
- 1 Hi-Speed USB 2.0 Host
- 1 Hi-Speed USB 2.0 Device
- 2 Internal USB 2.0 Host
- 1 Gigabit Ethernet 10/100/1000Base-T
- 1 Foreign Interface (FIH)
- 1 Hardware Integration Pocket
- 100-sheet multipurpose tray
- 250-sheet input tray
- 100-sheet Automatic Document Feeder (ADF)



HP LaserJet Enterprise 700 color MFP M775f

- as HP LaserJet Enterprise 700 color MFP M775dn with standard built-in fax
- 1 x 500-sheet tray
- 1 x 500-sheet feeder and stand



HP LaserJet Enterprise 700 color MFP M775z

- as HP LaserJet Enterprise 700 color MFP M775dn with built-in fax
- 500-sheet inline stapler/stacker
- 3 x 500-sheet paper feeder and stand



HP LaserJet Enterprise 700 color MFP M775z+

- as HP LaserJet Enterprise 700 color MFP M775dn with built-in fax
- 500-sheet inline stapler/stacker
- 3500-sheet feeder and stand

Recommended accessories



CE860A
HP Color LaserJet 500-sheet Paper Tray
Enhance productivity with a simple-to-install paper tray that allows you to print more pages without reloading paper and keep two different types of paper loaded.




C8091A
HP Staple Cartridge Refill
HP Staple Cartridge Refills give you more for your money and ensure you don't have to worry about frequent cartridge replacement. Each refill contains 5000 staples.



CE725A
HP Color LaserJet 3x500-sheet Paper Feeder and Stand
Spend less time loading paper and more time printing. Meet the printing needs of a high-volume printing environment with the 3x500-sheet paper feeder and stand.



CE792A
HP LaserJet 1x500-sheet Feeder and Stand
Support the productivity of growing work groups with simple, robust paper input accessories that enable media versatility, from A4/Letter to A3, and allow longer printing without reloading paper.



CF305A
HP LaserJet 1x3500 Sheet Feeder and Stand
Spend less time loading paper and more time printing. Meet the printing needs of a high-volume printing environment with this 1x3500-sheet feeder and stand.



CC487A
HP LaserJet MFP Analog Fax Accessory 500
Improve workteam productivity and make information sharing more efficient. Simply add embedded analog fax functionality to your HP LaserJet MFP¹ to send and receive documents quickly, easily and securely.

Ordering information



HP LaserJet Enterprise 700 color MFP M775dn (CC522A)
HP LaserJet Enterprise 700 color MFP M775dn; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord; 250-sheet tray



HP LaserJet Enterprise 700 color MFP M775f (CC523A)
HP LaserJet Enterprise 700 color MFP M775f; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord, Telecom cord; 250-sheet tray, 1x500-sheet Paper Tray, 1x500-sheet Feeder and Stand; Built-in fax



HP LaserJet Enterprise 700 color MFP M775z (CC524A)
HP LaserJet Enterprise 700 color MFP M775z; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord, Telecom cord; 250-sheet tray, 3x500-sheet Paper Feeder and Stand, 500-sheet inline Stapler/Stacker; Built-in fax



HP LaserJet Enterprise 700 color MFP M775z+ (CF304A)
HP LaserJet Enterprise 700 color MFP M775z+; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord, Telecom cord; 250-sheet tray, 1x3500-sheet Feeder and Stand, 500-sheet inline Stapler/Stacker; Built-in fax

Accessories, Supplies and Support

Accessories	
CE860A	HP Color LaserJet 500-sheet Paper Tray
C8091A	HP Staple Cartridge Refill
CE725A	HP Color LaserJet 3x500-sheet Paper Feeder and Stand
CE792A	HP LaserJet 1x500-sheet Feeder and Stand
CF305A	HP LaserJet 1x3500 Sheet Feeder and Stand
CC487A	HP LaserJet MFP Analog Fax Accessory 500
L2718A	HP 100 ADF Roller Replacement Kit
Connectivity	
J8026A	HP Jetdirect 2700w USB Wireless Print Server

Supplies	
CE340A	HP 651A Black LaserJet Toner Cartridge Average continuous Black Cartridge yield 13,500 standard pages. Declared yield value in accordance with ISO/IEC 19798.
CE341A	HP 651A Cyan LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 16,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.
CE342A	HP 651A Yellow LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 16,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.
CE343A	HP 651A Magenta LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 16,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.
CE515A	HP LaserJet CE515A 220V Maintenance Kit 150,000 pages
CE516A	HP LaserJet CE516A Transfer Kit 150,000 pages
CE980A	HP Color LaserJet CE980A Toner Collection Unit

Service & support
U6W53E - HP 3 year Next Business Day Color LaserJet M775 MFP Hardware Support
U6W54E - HP 4 year Next Business Day Color LaserJet M775 MFP Hardware Support
U6W55E - HP 5 year Next Business Day Color LaserJet M775 MFP Hardware Support
U6W77PE - HP 1 year Post Warranty Next Business Day Color LaserJet M775 MFP Hardware Support
U6W78PE - HP 2 year Post Warranty Next Business Day Color LaserJet M775 MFP Hardware Support

For a complete list of supplies, accessories and services, please refer to <http://www.hp.com>
For workflow, device management and other solutions, please visit the Global Solutions catalog: www.hp.com/go/gsc

Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies>

Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grow your business—with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services.

Technical specifications

Print technology	Laser		
Print speed	First page out: black: As fast as 10.5 sec, colour: As fast as 10.5 sec A4/black: Up to 30 ppm, color: Up to 30 ppm Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.		
Processor	800 MHz		
Memory	1536 MB. Not expandable		
Hard disk	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)		
Print	Quality Resolution Printer languages Typefaces/fonts	HP ImageREt 3600 Black: Up to 600 x 600 dpi, Color: Up to 600 x 600 dpi HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™ 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista® 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	
	Duty cycle (monthly, A4) Recommended monthly page volume Print margins (mm) Maximum print area	Up to 120,000 pages 2500 to 7500 Top: 4.2 mm. Left: 2.6 mm. Right: 5 mm. Bottom: 2.6 mm 302 x 454.2 mm	
Fax	700 color MFP M775dn : Optional; Modem speed Telecom compliance	700 color MFP M775f : Yes; 700 color MFP M775z : Yes; 700 color MFP M775z+ : Yes; 33.6 kbps 700 color MFP M775f : Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; other Telecom approvals as required by individual countries; 700 color MFP M775z : Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals as required by individual countries; 700 color MFP M775z+ : Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; other Telecom approvals as required by individual countries;	
	Fax memory Fax resolution Quick dialing	Up to 100 pages Standard: 204 x 98 dpi. Fine: 204 x 196 dpi. Superfine: 300 x 300 dpi. Photo: 300 x 300 dpi (400 x 400 dpi for received faxes only) Up to 100 numbers (each with 100 destinations)	
Digital sending	File formats Features	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) Standard: Scan to e-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send to workflow; Send to printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book	
Scan	Scan Speed (A4) Scan Speed Duplex (A4) Type Scan resolution Bit depth Grey scale levels Scannable area Margins for scanned items	Up to 30 ppm (black & white), up to 30 ppm (colour) Up to 14 ipm (black & white), up to 14 ipm (colour) Flatbed, ADF. Colour scanning: Yes Optical: Up to 600 dpi. Enhanced: Up to 600 dpi 24-bit 256 Maximum media size: 297 x 420 mm Left: 4.2 mm. Top: 4.2 mm. Right: 4.2 mm. Bottom: 4.2 mm	
Copy	Copy speed Copy resolution Multiple copies Reduce/enlarge	A4 black: Up to 30 cpm, color: Up to 30 cpm Up to 600 x 600 dpi Up to 9999 copies 25 to 400%	
Media handling	Input: Tray 1 Tray 2 ADF Output: Duplex printing: Automatic (standard)	Capacity sheets: 100 (75 g/m²); transparencies: 50; labels: 50; envelopes: 10 sheets: 250 (75 g/m²), 150 (90 g/m²); Glossy paper (160g/m²): 125; Glossy paper (220 g/m²): 50 Sheets: 100 Envelopes: Up to 35 envelopes. Transparencies: Up to 175 sheets	Weight 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); 163 to 220 g/m² (cardstock, card glossy) 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); 163 to 220 g/m² (cardstock, card glossy) 49 to 120 g/m² Size A3; A4; A4-R; A5; A6; RA3; SRA3; RA4; SRA4; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; Postcard (JIS); Dpostcard (JIS); envelopes (B4, B5, C5, DL); 76 x 127 to 320 x 470 mm A3; A4; A4-R; A5; RA4; SRA4; B4 (JIS); B5 (JIS); Dpostcard (JIS); 148 to 182 to 297 x 432 mm A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; 13 x 18 cm
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, extra heavy, mid-weight glossy, heavy glossy, extra heavy glossy, cardstock, card glossy), HP matte, HP soft gloss, HP glossy, colour transparency, labels, letterhead, envelope, preprinted, prepunched, coloured, rough, HP tough paper, opaque film, user-defined		
Interface and connectivity	Standard: 700 color MFP M775dn : 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 700 color MFP M775f : 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; 700 color MFP M775z : 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; 700 color MFP M775z+ : 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; Optional: HP Jetdirect 2700w USB Wireless Print Server J8026A		
Operating systems compatibility	Microsoft® Windows® 8, Windows® 7, Windows Vista®, Windows® XP (SP2+), Windows® Server 2003 (SP1+), Windows® Server 2008 (32 and 64-bit), Windows® Server 2008 R2 (64-bit); Mac OS X v10.6, 10.7; For the latest operating system support see: Citrix and Windows® Terminal Services (hp.com/go/upd); Novell (novell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix , hp.com/go/unixmodelscripts , hp.com/go/jetdirectunix_software); SAP device types (hp.com/go/sap/drivers , hp.com/go/sap/print); HP ePrint Mobile Driver (hp.com/go/eprintmobiledriver). Current HP printer drivers and software can be obtained from the HP Support Web site, hp.com/go/lj700colorMFP775_software		
Minimum system requirements	Microsoft® Windows® 8, Windows® 7, Windows Vista®, Windows® XP (SP2+), Windows Server® 2003 (SP1+), Windows Server® 2008, Windows Server® 2008 R2; 200 MB available hard disk space; operating system compatible hardware system requirements, see microsoft.com . Mac OS X v10.6, v10.7; 200 MB available hard disk space; operating system compatible hardware system requirements, see apple.com		
Standard software	Windows® Installer, HP PCL 6 discrete driver, Mac Installer, HP Postscript emulation driver		
Control panel	20.5 cm touchscreen Colour Graphic Display (CGD), rotating (adjustable angle); job control buttons; LED Home button; Hardware Integration Pocket; easy access USB 2.0 port		
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz). Consumption: 703 watts (copying), 686 watts (printing), 85 watts (ready), 14.8 watts (sleep), 0.5 watts (manual-Off). Typical Electricity Consumption (TEC): 5.421 kWh/Week. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Configuration tested: colour, simplex printing and copying.		
Dimensions (w x d x h)	Out of package: 700 color MFP M775dn : 592 x 639 x 595 mm; 700 color MFP M775f : 745 x 668 x 1143 mm; 700 color MFP M775z : 745 x 668 x 1198 mm; 700 color MFP M775z+ : 745 x 668 x 1198 mm; Packaged: 700 color MFP M775dn : 760 x 745 x 832 mm; 700 color MFP M775f : 856 x 760 x 1522 mm; 700 color MFP M775z : 856 x 760 x 1553 mm; 700 color MFP M775z+ : 856 x 760 x 1553 mm;		
Weight	Out of package: 700 color MFP M775dn : 63.7 kg; 700 color MFP M775f : 96.8 kg; 700 color MFP M775z : 107.7 kg; 700 color MFP M775z+ : 116.3 kg; Packaged: 700 color MFP M775dn : 76.5 kg; 700 color MFP M775f : 116 kg; 700 color MFP M775z : 126.7 kg; 700 color MFP M775z+ : 135.6 kg;		
Printer management	HP Web Jetadmin; HP Utility (Mac)		
Security management	Management security: SNMPv3, SSL/TLS, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJIA-10 IPsec Configuration using IPsec Plug-in		
Operating environment	Operating temperature: 15 to 27°C. Recommended operating temperature: 17 to 25°C. Operating humidity: 10 to 70% RH. Operating humidity recommended: 30 to 70% RH. Storage temperature: 0 to 35°C. Storage humidity: 10 to 90% RH		
Acoustics	Acoustic Power Emissions: 6.7 B(A) Acoustic Pressure Emissions: 53 dB(A)		
Certifications	CISPR 22: 2008/EN 55022: 2010 Class A, EN 61000-3-2: 2006 +A1:2009 +A2:2009, EN 61000-3-3:2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, GB9254-2008, GB17625.1-2003, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries. Regulatory standards: IEC 60950-1 +A1 (International), EN 60950-1 +A11 +A1 +A12 (EU), IEC 60825-1, GS License (Europe), EN 60825-1 (Class 1 Laser/LED Device), Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries. ENERGY STAR: Yes		
Warranty	One-year, next business day, on-site warranty. Warranty and support options vary by product, country and local legal requirements.		

<http://www.hp.com/uk>

Solutions: <http://www.hp.com/go/gsc>; Fonts and IPDS Emulation: <http://www.hp.com/go/laserjetfonts>; HP Web Jetadmin:

<http://www.hp.com/go/wja>; HP Universal Print Driver: <http://www.hp.com/go/upd>



© Copyright 2012 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 11/12 4AA4-3035EEE

